

HERITAGE IDENTIFICATION, MANAGEMENT & PROTECTION

Enquiries: Sphephelo Dube

 ${\it Email: sphephelo.dube@amafainstitute.org.za}$

Tel: 033 394 6543

Date: Wednesday December 07, 2022

CaseID: 19803

Our Ref:

ANCILLARY UNIT AND GARAGE TO 17 ATHERSTON ROAD

Final Decision

IN TERMS OF SECTION 34(1) OF THE NATIONAL HERITAGE RESOURCES ACT (ACT 25 OF 1999) AND SECTION 37 OF THE KWAZULU-NATAL AMAFA AND RESEARCH INSTITUTE ACT (ACT 05 OF 2018)

Attention: Nishara Sukhlal

17 Atherstone Place Woodlands Durban 4004

THE APPLICATION IS FOR A GARAGE AND ANCILLARY UNIT ABOVE THE GARAGE. ON ERF 207 MOBENI, 17 ATHERSTON ROAD

UNAUTHORISED ADDITIONS AND ALTERATIONS

We acknowledge receipt of your application for a permit to carry out work on the above property. The KZN Amafa and Research Institute (the Institute) reviewed the application on the 07 December 2022.

Please be advised as follows: -

- (1) The Institute was unable to consider the merits of the application as the work had already commenced, alternatively, has been completed;
- (2) As a result, a permit cannot now be issued;
- (3) We would like to draw your attention to the fact that your failure to obtain a permit prior to the commencement of the work, is in contravention of the provisions of the KwaZulu-Natal Amafa and Research Institute Act (5 of 2018), and as such is a criminal offence for which you may be prosecuted;
- (4) However, the Institute has decided to condone your failure to obtain a permit, as required, on condition that the work was conducted strictly in accordance with **drawing number SD 001**, **dated 12/09/2022**, **drawn by NS**, **Property Graded Not Conservation Worthy received by the Institute on 12 October 2022**, and that all the work shown on the application is completed within a calendar year of the date of this letter.

195 Langalibalele St, Pietermaritzburg, 3201 033 394 6543 www.amafainstitute.org.za





HERITAGE IDENTIFICATION, MANAGEMENT & PROTECTION

Enquiries: Sphephelo Dube

Email: sphephelo.dube@amafainstitute.org.za

Tel: 033 394 6543

Date: Wednesday December 07, 2022

CaseID: 19803

Our Ref:

- (5) Prior written approval from the Institute is required for any deviation to the approved plans.
- (6) No legal action will be instituted against you in this instance.

Should you have any further queries, please contact the designated official using the case number quoted above in the case header.

Yours faithfully



Sphephelo Dube

Heritage Officer KwaZulu-Natal Amafa and Research Institute

Mxolisi Dlamuka Head of Secretariat and Administration KwaZulu-Natal Amafa and Research Institute

ADMIN:

Direct URL to case: https://sahris.sahra.org.za/node/606649

Terms & Conditions:

- 1. This approval does not exonerate the applicant from obtaining local authority approval or any other necessary approval for proposed work.
- 2. If any heritage resources, including graves or human remains, are encountered they must be reported to the Institute immediately.
- 3. The Institute reserves the right to request additional information as required.

195 Langalibalele St, Pietermaritzburg, 3201 033 394 6543 www.amafainstitute.org.za

