## **H4** SCHEDULE OF AREAS ERF 2484, DURBAN NORTH SITE AREA : 1 012m<sup>2</sup> <u>FAR</u> ALLOWABLE FAR : N/A EXISTING FAR : 290,84m<sup>2</sup> : 0m<sup>2</sup> (NO NEW FAR) PROPOSED FAR : 290,84m<sup>2</sup> NEW TOTAL FAR <u>COVERAGE</u> ALLOWABLE COVERAGE (50%) 506m<sup>2</sup> EXISTING TOTAL COVERAGE :277,20m<sup>2</sup> PROPOSED COVERAGE : 36m² NEW TOTAL COVERAGE : 313,2m<sup>2</sup> **LIST OF ADDITIONS: NEW SOLAR PANELS** NEW CARPORT AWNING NEW JOJO WATER STORE TANKS NEW DOOR NEW INTERNAL LAYOUT DOOR/WINDOW BRICKED UP **NEW BRICKWALL RELAXATION CONSENT:** ADDRESS : 12 BALGOWNIE CRESCENT CADASTRAL : ERF 2483 AABINDAAN ATH HARKOO NAME :0836350102 TELE. NO. : 5102265714081 I.D. NO DATE 30/2024 SIGNATURE

## **GENERAL NOTES:**

CLASSIFICATION

ALL LEVELS AND DIMENSIONS TO BE CHECKED ON SITE BY CONTRACTOR BEFORE COMMENCING WORK. ALL NEW WORK TO ENGINEER'S DETAIL -

- GUTTERS AND DOWNPIPES TO COMPLY WITH -
- SANS10400-PART R, 4.3.
- SUPPLY OF WATER TO COMPLY WITH SANS 10400 PART W.
- ALL NEW PLUMBING TO COMPLY WITH SANS10400 PART P.
- FLASHING TO BE PROVIDED AS PER SANS10400 PART L. ALL GLAZING TO COMPLY WITH SANS 10400-PART N. -

REINFORCED BRICKWORK WITH SOLID JOINTS IN CEMENT MORTAR IN ALL WALLS AT WINDOW CILL AND ROOF PLATE LEVELS.

## **DRAINAGE NOTES :**

- ANY DAMAGED FITTINGS TO BE REPLACED.
- ALL GULLY SURROUNDS AND MANHOLE COVERS TO BE 75mm ABOVE GROUND LEVEL.
- SEWER CONNECTION TO BE EXPOSED BEFORE
- COMMENCING WORK.
- IE'S TO ALL BENDS AND JUNCTIONS. SOIL PIPES TO BE 100 diameter PVC. -
- WASTE PIPES TO BE 50 diameter PVC.
- SEWER PIPES UNDER BUILDING TO BE
- 100 diameter UPVC RIBBED PIPE.



