


ngl



WASTE WATER VIA BREAK PRESSURE TANK TO LAWN. FILL AND COMPACTION  
OF SOIL TO ENGINEER'S DETAILS.  
EARTH LEAKAGE PROTECTION TO BE FITTED TO ENTIRE ELECTRICAL  
INSTALLATION.  
PUMP CHAMBER TO BE ADEQUATELY DRAINED  
PLANT ARRANGEMENT & FITTING TO POOL SPECIALISTS SPECIFICATIONS.  
POOL WALLS TO ENGINEER'S SPECIFICATION  
SOAK AWAY & PRESSURE VALVE TO BE PROVIDED SHOULD WATER BE FOUND  
IN FOUNDATIONS  
NOTE: 1.2m POOL FENCE WITH SELF-CLOSING GATES TO COMPLY WITH  
PART OF SABS 0400 - 1990



Scale : 1 : 200

Scale : 1 : 100

CK (2017/083211/07)      C: (+27)76 052 5247      S.A.C.A.P Reg No: 7

PROJECT TITLE & CLIENT INFORMATION  
PROPOSED SECOND DWELLING,  
OUTBUILDING & ADDS. & ALTS. TO  
DWELLING FOR : A J OLDEN  
STREET ADDRESS

SUBMISSION DRAWING

### PLANS, SECTIONS & ELEVATIONS

PLANS, SECTION &amp; ELEVATIONS

SCALE	PLOT DATE	DATE
-------	-----------	------

1:100	21-01-2025	JAN 2025
-------	------------	----------

PROJECT No - DRAWING NUMBER	REVISION
<b>P-107000000-01</b>	<b>0</b>

2107005 WD01 0